



A trusted foundation. Rugged reliability is the foundation upon which the iconic Coleman® name is built. The Coleman® TM9Y Gas Furnace is part of that legacy, providing your family with comfort and energy savings for years to come.

Two-stage burner to save fuel.

Two-stage operation tracks temperatures more accurately to provide greater comfort.

Reliable, efficient blower. ECM fan motors improve performance and reduce electricity use.

Durable, low-leakage cabinet.

Reinforced cabinets and gasketed doors ensure warm air goes where it's needed.

Reliable aluminized heat exchanger.

Advanced, tubular aluminized steel primary heat exchanger allows for high heat transfer and improved efficiency.

Year-round comfort. For even greater flexibility, add an indoor coil from a Coleman® split system for complete comfort in all seasons.



Safe ignition and 100% shutoff valve.

Hot-surface ignition and 100% shutoff valve technology save on fuel costs while increasing dependability and reliability.

Advanced manufacturing. Designed and built in North America, the Coleman® TM9Y Series Gas Furnace fits in tight spaces and comes pre-assembled from the factory, making setup quicker than ever.

Safe for the environment. Coleman® LX Series Gas Furnaces meet U.S. EPA energy efficiency standards. The Coleman® TM9Y Gas Furnace qualifies as an ENERGY STAR® product.



Model TM9Y is verified to meet ENERGY STAR® requirements.

Heating input range
60–120 Mbh input

AFUE 96%



Limited warranty
Lifetime heat exchanger,
10-year parts*



Complete Assurance™ Warranty Pledge

If the heat exchanger fails within 5 years of installation, we provide optional furnace replacement in lieu of heat exchanger replacement

* For 10-year parts and lifetime heat exchanger limited warranties, system must be registered online within 90 days of installation. If not registered within 90 days, the parts warranty reverts to a 5-year limited warranty and the heat exchanger warranty reverts to a 20-year limited warranty.



HEATING & AIR CONDITIONING



Coleman® LX Series Split System Air Conditioners

13-17 SEER/1.5-5 TONS




Trust in iconic quality

For over 100 years, the Coleman® name has been synonymous with rugged reliability and world-renowned quality. Our line of heating and cooling solutions is no different. Since 1958, Coleman® HVAC has provided world-class home comfort systems that stand the test of time. We're confident that our LX Series Split System Air Conditioners will do the same. Count on unmatched comfort, time-tested performance and exceptional energy savings found in systems that are designed, engineered and assembled right here in the United States. It's what has made Coleman® HVAC a preferred choice of contractors and homeowners for generations.



Coleman® LX Series Split System Air Conditioners

- 1 **Save up to 41 cents per dollar** and potentially qualify for utility rebates (see your contractor for details) with our enhanced-efficiency 16 and 17 SEER systems versus older, 10 SEER units.
- 2 **Reliable operation with robust compressor** technology proven in our extreme, accelerated test facility.
- 3 **Long-lasting, powder-coat paint** provides a durable, automotive-quality finish that looks great, even after years of outdoor exposure.
- 4 **Durable steel extruded louver coil guards** provide protection against coil damage.
- 5 **Quiet, direct-drive fan design** minimizes vibration and sound.
- 6 **Coil options** with effective airflow and heat transfer.
- 7 **Compact cabinet** puts advanced performance in less space.





Rugged reliability



Tested to be tough. More than 250,000 hours of research, accelerated field trials and extreme weather testing ensure reliable performance that lasts.



Advanced manufacturing. State-of-the-art quality control and assembly processes built upon the manufacturing expertise of Johnson Controls.



Optimized efficiency. Matched components do more with less, which is why Coleman® products fit perfectly in your home while delivering advanced levels of efficiency.



Space and budget friendly. Quiet, small-footprint cabinets deliver big performance with features that meet your needs and fit your budget.



Safe for the environment, inside and out. We use R-410A refrigerant, which doesn't harm the ozone and keeps your system safe and efficient.



Options to satisfy your needs. LX Series Split System Air Conditioners come with the configurations and options that meet both your comfort and budget requirements.

Quality is home grown



You need an HVAC system that delivers consistent performance in even the most punishing climates, which is why we design, engineer and assemble Coleman® HVAC LX Series Split System Air Conditioners right here in the United States. We put our systems through extreme weather temperatures and corrosive environments to ensure your system is built for the long haul. But don't just take our word for it. Take the word of those who have trusted the Coleman® name for decades.

LX Series Split System Air Conditioners



* 10-year compressor and parts limited warranties require online registration within 90 days of installation. Otherwise, the warranty reverts to the standard 5-year compressor and 5-year parts limited warranty.

** 1-year labor limited warranty requires registration within 90 days of installation.

CC7 Split System Air Conditioners



MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
CC718B21S	1.5	13.5	17.0	18,000
CC724B21S	2.0	13.5	17.0	24,000
CC730B21S	2.5	13.5	17.0	30,000
CC736B21S	3.0	13.5	17.0	36,000
CC742B21S	3.5	13.5	17.0	42,000
CC748B21S	4.0	13.5	17.0	48,000
CC760B21S	5.0	13.5	16.0	60,000

TC4 Split System Air Conditioners

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TC4B1821HA	1.5	11.7	14.0	18,600
TC4B2421HA	2.0	11.7	14.0	23,000
TC4B3021HA	2.5	11.7	14.0	29,400
TC4B3621HA	3.0	11.7	14.0	34,600
TC4B4221HA	3.5	11.7	14.0	40,500
TC4B4821SA	4.0	11.7	14.0	47,500
TC4B6021SA	5.0	11.7	14.0	56,000

TF4 Split System Air Conditioners

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TF4B1821SA	1.5	11.7	14.0	17,800
TF4B2421SA	2.0	11.7	14.0	24,000
TF4B3021SA	2.5	11.7	14.0	29,000
TF4B3621SA	3.0	11.7	14.0	35,000
TF4B4221SA	3.5	11.7	14.0	40,000
TF4B4821SA	4.0	11.7	14.0	46,500
TF4B6021SA	5.0	11.7	14.0	56,000

TW4 Split System Air Conditioners

MODEL *	TONS	EER	SEER	COOLING BTUH (nominal)
TW4B1821SA	1.5	12.2	14.0	18,000
TW4B2421SA	2.0	12.2	14.0	24,000
TW4B3021SA	2.5	12.2	14.0	28,800
TW4B3621SA	3.0	12.2	14.0	35,000
TW4B4221SA	3.5	12.2	14.0	40,000
TW4B4821SA	4.0	11.7	14.0	46,500
TW4B6021SA	5.0	11.7	14.0	56,000

* TW4B models meet California requirements for central split system air conditioners of 12.2 EER for capacities smaller than 45,000 Btu/hr and 11.7 EER for larger capacities.

TF3 Split System Air Conditioners

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TF3B1821S	1.5	11.0	13.0	18,000
TF3B2421S	2.0	11.0	13.0	24,000
TF3B3021S	2.5	11.5	13.0	30,000
TF3B3621S	3.0	11.5	13.0	36,000
TF3B4221S	3.5	11.75	13.0	42,000
TF3B4821S	4.0	11.0	13.0	48,000
TF3B6021S	5.0	11.0	13.0	60,000

TC3 Split System Air Conditioners



MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TC3B1821SA	1.5	11.0	13.0	17,500
TC3B2421SA	2.0	11.0	13.0	23,600
TC3B3021SA	2.5	11.0	13.0	29,000
TC3B3621SA	3.0	11.0	13.0	34,400
TC3B4221SA	3.5	11.0	13.0	41,000
TC3B4821SA	4.0	11.0	13.0	46,000
TC3B6021SA	5.0	11.0	13.0	55,000

3-Phase Models Available



CC7 models meet ENERGY STAR® requirements for energy efficiency.



©2016 The Coleman Company, Inc., Coleman,  and  are registered trademarks of The Coleman Company, Inc., used under license. All rights reserved. Subject to change without notice. www.colemanac.com Form PUBL-7694-F-1216. Supersedes: PUBL-7694-E-0916. Printed in USA.

