

Warmth that endures



We design, engineer and assemble Coleman® products here in the United States, where we can closely monitor and improve processes that directly affect quality. It's this commitment to excellence that allows us to offer outstanding warranties, meet the highest industry standards and deliver energy-saving comfort that lasts a lifetime. That's why, when it comes to home comfort, your confidence is our commitment.

LX Series Gas Furnaces

MODEL	DESCRIPTION	HEATING INPUT RANGE	ANNUAL FUEL UTILIZATION EFFICIENCY (AFUE)	LIMITED WARRANTY**
TM9V*	Two-stage operation, variable-speed blower	40-120 MBH input	96%	Lifetime heat exchanger, 10-year parts, 90-day labor**
TM9Y*	Two-stage operation with high-efficiency blower	40-120 MBH input	96%	Lifetime heat exchanger, 10-year parts, 90-day labor**
TM9E*	Single-stage operation, high-efficiency blower	40-120 MBH input	95%	Lifetime heat exchanger, 10-year parts, 90-day labor**
TL9E	Single-stage operation, ultra-low NOx furnace with high-efficiency blower	60-100 MBH input	95%	20-year heat exchanger, 10-year parts, 90-day labor
TM8V*/TMLV*	Two-stage operation, variable-speed blower	60-120 MBH input	80%	Lifetime heat exchanger, 10-year parts, 90-day labor**
TM8Y*	Two-stage operation with high-efficiency blower	60-120 MBH input	80%	Lifetime heat exchanger, 10-year parts, 90-day labor**
TM8E/TMLE*	Single-stage operation, high-efficiency blower	40-130 MBH input	80%	Lifetime heat exchanger, 10-year parts, 90-day labor**
TL8E	Single-stage operation, ultra-low NOx furnace with high-efficiency blower	60-100 MBH input	80%	20-year heat exchanger, 10-year parts, 90-day labor

**Lifetime heat exchanger, 10-year parts and 90-day labor limited warranties require online registration within 90 days of installation. Otherwise, warranties revert to the standard 20-year heat exchanger and 5-year parts limited warranties.

WARNING: *These heating products do not meet the California Rule 1111 air district 14 ng/J NOx emission limit, are subject to mitigation fees of up to \$450 and are not eligible for the Clean Air Furnace Rebate Program: www.CleanAirFurnaceRebate.com.

Models TM9V, TM9Y, TL9E and TM9E meet ENERGY STAR® requirements.

Residential Gas Furnace Warranties



*Lifetime heat exchanger, 10-year parts and 90-day labor limited warranties require online registration within 90 days of installation. Otherwise, warranties revert to the standard 20-year heat exchanger and 5-year parts limited warranties.



Complete Assurance™ Limited Warranty Pledge:

If the heat exchanger fails within 5 years of installation, we provide optional furnace replacement in lieu of heat exchanger replacement.



HEATING AND AIR CONDITIONING



Coleman® LX Series Gas Furnaces

80% AFUE and up to 97% AFUE Models



HEATING AND AIR CONDITIONING

©2019 The Coleman Company, Inc., Coleman, and are registered trademarks of The Coleman Company, Inc., used under license. All rights reserved. Subject to change without notice. www.ColemanAC.com Form PUBL-6174-K-1119 Supersedes: PUBL-6174-J-1018. Printed in USA.



A comforting legacy

The Coleman® name has been trusted for more than 100 years to deliver quality and reliability. It's a history of rugged durability that makes so many homeowners trust Coleman® HVAC. And when it comes to home heating, a Coleman® LX Series gas furnace is no different. Because when it comes to providing for your family, we know that true comfort comes from a place of security, dependability and trust.



Coleman® LX Series Gas Furnaces

- **Reliable, efficient blower.** Models with ECM fan motors improve system performance and reduce electricity use. Our models with variable-speed ECM motors include *EcoTrak™* technology that can be fine-tuned to your specific climate needs.
- **Reliable aluminized heat exchanger.** Advanced, tubular aluminized steel primary heat exchanger allows for high heat transfer and outstanding efficiency.
- **Safe, hot-surface ignition and 100% shutoff valve.** This technology saves on fuel costs while increasing dependability and reliability.
- **Durable, low-leakage cabinet.** Reinforced cabinets and gasketed doors help ensure warm air goes where it's needed, quietly and efficiently.
- **Year-round comfort options.** For even greater flexibility, a Coleman® split-system cooling coil can be added to handle summer weather.
- **Two-stage burner to save fuel.** Two-stage gas furnaces can shift their level of performance to track temperatures more accurately and provide greater comfort.

A trusted foundation

Rugged reliability is the foundation upon which the iconic Coleman® name is built. And because Coleman® LX Series gas furnaces are designed, engineered and assembled in the United States by Johnson Controls – a leader in world-class manufacturing – you can rest assured that a Coleman® HVAC heating system will live up to the legacy, providing your family with comfort and energy savings for years to come.

- **Real-world efficiency.** Coleman® LX Series gas furnaces can reduce energy costs nearly 40% versus furnaces from just two decades ago. And with up to a 97% Annual Fuel Utilization Efficiency (AFUE) rating on our most efficient models, they have earned some of the highest efficiency ratings in the industry.
- **Space- and budget-friendly.** A wide range of Coleman® LX Series gas furnaces ensures the right fit for every home and every budget. Compact, 33-inch tall cabinets fit in tight spaces, allowing for installations in basements, attics, recreation rooms, garages, alcoves and even closets. And since all LX Series gas furnaces come pre-assembled, wired and tested from the factory, setup is quicker than ever.
- **Advanced manufacturing.** Designed, engineered and assembled in the United States, Coleman® LX Series gas furnaces are crafted using state-of-the-art quality control and assembly processes gleaned from Johnson Controls' advanced manufacturing expertise to provide world-class quality at competitive prices.
- **Safe for the environment.** Coleman® LX Series gas furnaces meet U.S. EPA energy efficiency standards, with select models qualifying as ENERGY STAR® products, providing more heat with fewer natural resources.



HEATING & AIR CONDITIONING



Coleman® LX Series Split System Air Conditioners

13-17 SEER/1.5-5 TONS




Trust in iconic quality

For over 100 years, the Coleman® name has been synonymous with rugged reliability and world-renowned quality. Our line of heating and cooling solutions is no different. Since 1958, Coleman® HVAC has provided world-class home comfort systems that stand the test of time. We're confident that our LX Series Split System Air Conditioners will do the same. Count on unmatched comfort, time-tested performance and exceptional energy savings found in systems that are designed, engineered and assembled right here in the United States. It's what has made Coleman® HVAC a preferred choice of contractors and homeowners for generations.



Coleman® LX Series Split System Air Conditioners

- 1 Save up to 41 cents per dollar** and potentially qualify for utility rebates (see your contractor for details) with our enhanced-efficiency 16 and 17 SEER systems versus older, 10 SEER units.
- 2 Reliable operation with robust compressor** technology proven in our extreme, accelerated test facility.
- 3 Long-lasting, powder-coat paint** provides a durable, automotive-quality finish that looks great, even after years of outdoor exposure.
- 4 Durable steel extruded louver coil guards** provide protection against coil damage.
- 5 Quiet, direct-drive fan design** minimizes vibration and sound.
- 6 Coil options** with effective airflow and heat transfer.
- 7 Compact cabinet** puts advanced performance in less space.





Rugged reliability



Tested to be tough. More than 250,000 hours of research, accelerated field trials and extreme weather testing ensure reliable performance that lasts.



Advanced manufacturing. State-of-the-art quality control and assembly processes built upon the manufacturing expertise of Johnson Controls.



Optimized efficiency. Matched components do more with less, which is why Coleman® products fit perfectly in your home while delivering advanced levels of efficiency.



Space and budget friendly. Quiet, small-footprint cabinets deliver big performance with features that meet your needs and fit your budget.



Safe for the environment, inside and out. We use R-410A refrigerant, which doesn't harm the ozone and keeps your system safe and efficient.



Options to satisfy your needs. LX Series Split System Air Conditioners come with the configurations and options that meet both your comfort and budget requirements.

Quality is home grown



You need an HVAC system that delivers consistent performance in even the most punishing climates, which is why we design, engineer and assemble Coleman® HVAC LX Series Split System Air Conditioners right here in the United States. We put our systems through extreme weather temperatures and corrosive environments to ensure your system is built for the long haul. But don't just take our word for it. Take the word of those who have trusted the Coleman® name for decades.

LX Series Split System Air Conditioners



* 10-year compressor and parts limited warranties require online registration within 90 days of installation. Otherwise, the warranty reverts to the standard 5-year compressor and 5-year parts limited warranty.

** 1-year labor limited warranty requires registration within 90 days of installation.

CC7 Split System Air Conditioners

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
CC718B21S	1.5	13.5	17.0	18,000
CC724B21S	2.0	13.5	17.0	24,000
CC730B21S	2.5	13.5	17.0	30,000
CC736B21S	3.0	13.5	17.0	36,000
CC742B21S	3.5	13.5	17.0	42,000
CC748B21S	4.0	13.5	17.0	48,000
CC760B21S	5.0	13.5	16.0	60,000

TC4 Split System Air Conditioners

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TC4B1821HA	1.5	11.7	14.0	18,600
TC4B2421HA	2.0	11.7	14.0	23,000
TC4B3021HA	2.5	11.7	14.0	29,400
TC4B3621HA	3.0	11.7	14.0	34,600
TC4B4221HA	3.5	11.7	14.0	40,500
TC4B4821SA	4.0	11.7	14.0	47,500
TC4B6021SA	5.0	11.7	14.0	56,000

TF4 Split System Air Conditioners

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TF4B1821SA	1.5	11.7	14.0	17,800
TF4B2421SA	2.0	11.7	14.0	24,000
TF4B3021SA	2.5	11.7	14.0	29,000
TF4B3621SA	3.0	11.7	14.0	35,000
TF4B4221SA	3.5	11.7	14.0	40,000
TF4B4821SA	4.0	11.7	14.0	46,500
TF4B6021SA	5.0	11.7	14.0	56,000

TW4 Split System Air Conditioners

MODEL*	TONS	EER	SEER	COOLING BTUH (nominal)
TW4B1821SA	1.5	12.2	14.0	18,000
TW4B2421SA	2.0	12.2	14.0	24,000
TW4B3021SA	2.5	12.2	14.0	28,800
TW4B3621SA	3.0	12.2	14.0	35,000
TW4B4221SA	3.5	12.2	14.0	40,000
TW4B4821SA	4.0	11.7	14.0	46,500
TW4B6021SA	5.0	11.7	14.0	56,000

* TW4B models meet California requirements for central split system air conditioners of 12.2 EER for capacities smaller than 45,000 Btu/hr and 11.7 EER for larger capacities.

TF3 Split System Air Conditioners

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TF3B1821S	1.5	11.0	13.0	18,000
TF3B2421S	2.0	11.0	13.0	24,000
TF3B3021S	2.5	11.5	13.0	30,000
TF3B3621S	3.0	11.5	13.0	36,000
TF3B4221S	3.5	11.75	13.0	42,000
TF3B4821S	4.0	11.0	13.0	48,000
TF3B6021S	5.0	11.0	13.0	60,000

TC3 Split System Air Conditioners

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TC3B1821SA	1.5	11.0	13.0	17,500
TC3B2421SA	2.0	11.0	13.0	23,600
TC3B3021SA	2.5	11.0	13.0	29,000
TC3B3621SA	3.0	11.0	13.0	34,400
TC3B4221SA	3.5	11.0	13.0	41,000
TC3B4821SA	4.0	11.0	13.0	46,000
TC3B6021SA	5.0	11.0	13.0	55,000

3-Phase Models Available



CC7 models meet ENERGY STAR® requirements for energy efficiency.



©2016 The Coleman Company, Inc., Coleman,  and  are registered trademarks of The Coleman Company, Inc., used under license. All rights reserved. Subject to change without notice. www.colemanac.com Form PUBL-7694-F-1216. Supersedes: PUBL-7694-E-0916. Printed in USA.

